

1 From Please print and press hard.

Date 11/10/00 Sender's FedEx Account Number 1147-6132-0

Sender's Name stephanie hohenberger Phone (765) 452-5694

Company Milbank Mfg. Company

Address 1400 E. Havens Street

City Kokomo State IN ZIP 46901

2 Your Internal Billing Reference OPTIONAL

3 To

Recipient's Name First 24 characters will appear on invoice. Phone (317) 842-4261

Company TESTAMERICA INCORPORATED

Address 6964 HILLSDALE CT

We cannot deliver to P.O. boxes or P.O. ZIP codes.

City INDIANAPOLIS State IN ZIP 46250

NEW Peel and Stick FedEx USA Airbill

See back for application instructions.

Questions? Call 1-800-Go-FedEx® (800-463-3339)

Visit our Web site at www.fedex.com

By using this Airbill you agree to the service conditions on the back of this Airbill and in our current Service Guide, including terms that limit our liability.

0138920775

4a Express Package Service Packages up to 150 lbs. Delivery commitment may be later in some areas.

☒ FedEx Priority Overnight Next business morning ☐ FedEx Standard Overnight Next business afternoon ☐ FedEx First Overnight Earliest next business morning delivery to select locations

☐ FedEx 2Day* Second business day ☐ FedEx Express Saver* Third business day *FedEx Letter Rate not available Minimum charge: One-pound rate

4b Express Freight Service Packages over 150 lbs. Delivery commitment may be later in some areas.

☐ FedEx 1Day Freight* Next business day ☐ FedEx 2Day Freight Second business day ☐ FedEx 3Day Freight Third business day

* Call for Confirmation: _____ * Declared value limit \$500

5 Packaging

☐ FedEx Letter* ☐ FedEx Pak* ☒ Other Pkg. Includes FedEx Box, FedEx Tube, and customer pkg.

6 Special Handling

☐ Saturday Delivery Available for FedEx Priority Overnight and FedEx 2Day to select ZIP codes ☐ Sunday Delivery Available for FedEx Priority Overnight to select ZIP codes ☐ HOLD Weekday at FedEx Location Not available with FedEx First Overnight ☐ HOLD Saturday at FedEx Location Available for FedEx Priority Overnight and FedEx 2Day to select locations

Does this shipment contain dangerous goods? One box must be checked.

☐ No ☐ Yes As per attached Shipper's Declaration ☐ Yes Shipper's Declaration not required ☐ Dry Ice Dry Ice, 9, UN 1845 x kg ☐ Cargo Aircraft Only

7 Payment Bill to: Enter FedEx Acct. No. or Credit Card No. below.

☐ Sender Acct. No. in Section 1 ☒ Recipient ☐ Third Party ☐ Credit Card ☐ Cash/Check

FedEx Acct. No. 1158-0119-8 Exp. Date

Total Packages	Total Weight	Total Declared Value*
1	22#15	\$.00

*Our liability is limited to \$100 unless you declare a higher value. See back for details.

8 Release Signature Sign to authorize delivery without obtaining signature.

By signing you authorize us to deliver this shipment without obtaining a signature and agree to indemnify and hold us harmless from any resulting claims.

359

NOV 27 2000

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

11/16/2000

Job Number: 00.06069

Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WASTEWATER ANALYSIS

Sample Number	Sample Description	Date Taken	Time Taken	Date Received
280187	ONCE A MONTH COMP.	11/02/2000		11/03/2000

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

TestAmerica Incorporated-Indianapolis Division is in compliance with the National Environmental Laboratory Accreditation Program (NELAP) Standards.

Reproduction of this analytical report is permitted only in its entirety.



Project Representative

NOV 27 2000

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

11/16/2000

Job No.: 00.06069

Page 2 of 3

Date Received: 11/03/2000

Job Description: WASTEWATER ANALYSIS

Sample Number / Sample I.D.			Sample Date/	Analyst		Reporting
Parameters	Wet Wt. Result	Flag	Units	Date & Time Analyzed	Method	Limit
280187	ONCE A MONTH COMP.		11/02/2000			
CBOD - Five Day	140		mg/L	rlm 11/03/2000 10:00	EPA 405.1	<5.
CBOD - Five Day (PREP)	Complete			rlm 11/03/2000	EPA 405.1	Complete
COD	160	dlx10	mg/L	tpd 11/07/2000 10:15	EPA 410.4	<10.
Nitrogen, Ammonia Dist.	0.23		mg/L	mme 11/14/2000 10:05	EPA 350.1	<0.10
Solids, Suspended	93		mg/L	rlm 11/06/2000 14:40	EPA 160.2	<5.
Distillation, Ammonia	Complete			sld 11/08/2000 13:53		Complete
Molybdenum, ICP	<0.050		mg/L	out 11/11/2000 09:56	EPA 200.7	<0.050
Zinc, ICP	0.028		mg/L	out 11/11/2000 09:56	EPA 200.7	<0.020

KEY TO ABBREVIATIONS

<	Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
%	Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
*	Indicates the Reporting Limit is elevated due to insufficient sample volume.
mg/L	Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
ug/L	Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
mg/kg	Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
ug/kg	Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
a	Indicates the sample concentration was quantitated using a diesel fuel standard.
b	Indicates the analyte of interest was also found in the method blank.
c	Sample resembles unknown Hydrocarbon.
dw	When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
d1	Indicates the analyte has elevated Reporting Limit due to high concentration.
d2	Indicates the analyte has elevated Reporting Limit due to matrix.
e	Indicates the reported concentration is estimated.
g	Indicates the sample concentration was quantitated using a gasoline standard.
h	Indicates the sample was analyzed past recommended holding time.
i	Insufficient spike concentration due to high analyte concentration in the sample.
j	Indicates the reported concentration is below the Reporting Limit.
k	Indicates the sample concentration was quantitated using a kerosene standard.
l	Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
m	Indicates the sample concentration was quantitated using a mineral spirits standard.
o	Indicates the sample concentration was quantitated using a motor oil standard.
p	Indicates the sample was post spiked due to sample matrix.
q	Indicates MS/MSD exceeded control limits. The associated sample may exhibit similar matrix bias. All other quality control indicators are in control.
r	Indicates the sample was received past recommended holding time.
u	Indicates the sample was received improperly preserved and/or improperly contained.
uj	Indicates the result is below the Reporting Limit and is considered estimated.
z	Indicates the BOD dilution water blank depletion was between 0.2 and 0.5 mg/L.

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

11/16/2000

Job Number: 00.06069

Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WASTEWATER ANALYSIS

Sample Number	Sample Description	Date Taken	Time Taken	Date Received
280187	ONCE A MONTH COMP.	11/02/2000		11/03/2000

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

TestAmerica Incorporated-Indianapolis Division is in compliance with the National Environmental Laboratory Accreditation Program (NELAP) Standards.

Reproduction of this analytical report is permitted only in its entirety.

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 46901-3188

11/16/2000

Job No.: 00.06069

Page 2 of 3

Date Received: 11/03/2000

Job Description: WASTEWATER ANALYSIS

Sample Number / Sample I.D.	Sample Date/	Analyst	Reporting
Parameters	Wet Wt. Result Flag Units	Date & Time Analyzed Method	Limit
280187	ONCE A MONTH COMP.	11/02/2000	
CBOD Five Day	140 mg/L	rlm 11/03/2000 10:00 EPA 405.1	<5.
CBOD - Five Day (PRFP)	Complete	rlm 11/03/2000 FPA 405.1	Complete
COD	160 d1x10 mg/L	tpd 11/07/2000 10:15 EPA 410.4	<10.
Nitrogen, Ammonia Dist.	0.23 mg/L	mmc 11/14/2000 10:05 EPA 350.1	<0.10
Solids, Suspended	93 mg/l	rlm 11/06/2000 14:40 FPA 160.2	<5.
Distillation, Ammonia	Complete	sld 11/08/2000 13:53	Complete
Molybdenum, ICP	<0.050 mg/L	out 11/11/2000 09:56 EPA 200.7	<0.050
Zinc, ICP	0.028 mg/l	out 11/11/2000 09:56 FPA 200.7	<0.020

Page 3 of 3

KEY TO ABBREVIATIONS

<	Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
%	Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
*	Indicates the Reporting Limit is elevated due to insufficient sample volume.
mg/l	Part per million; Concentration in units of milligrams of analyte per liter of aqueous sample.
ug/L	Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
mg/kg	Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
ug/kg	Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
a	Indicates the sample concentration was quantitated using a diesel fuel standard.
b	Indicates the analyte of interest was also found in the method blank.
c	Sample resembles unknown Hydrocarbon.
dw	When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
d1	Indicates the analyte has elevated Reporting Limit due to high concentration.
d2	Indicates the analyte has elevated Reporting Limit due to matrix.
e	Indicates the reported concentration is estimated.
g	Indicates the sample concentration was quantitated using a gasoline standard.
h	Indicates the sample was analyzed past recommended holding time.
i	Insufficient spike concentration due to high analyte concentration in the sample.
j	Indicates the reported concentration is below the Reporting Limit.
k	Indicates the sample concentration was quantitated using a kerosene standard.
l	Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
m	Indicates the sample concentration was quantitated using a mineral spirits standard.
o	Indicates the sample concentration was quantitated using a motor oil standard.
p	Indicates the sample was post spiked due to sample matrix.
q	Indicates MS/MSD exceeded control limits. The associated sample may exhibit similar matrix bias. All other quality control indicators are in control.
r	Indicates the sample was received past recommended holding time.
u	Indicates the sample was received improperly preserved and/or improperly contained.
uj	Indicates the result is below the Reporting limit and is considered estimated.

MIL0005495

TestAmerica, Inc. Indianapolis Division
6964 Hillisdale Ct., Indianapolis, IN 46250
Phone: (317) 842-4261 FAX: (317) 842-4286

TO: Mr. Richard Tyler
COMPANY: MILBANK MANUFACTURING INC

FROM: Josh Dutton
COMPANY: Indianapolis Division
PHONE: (317) 842-4261

SENT ON: Thu Nov 16 17:42:37 2000

NUMBER OF PAGES (INCLUDING COVER): 4

COMMENTS:

PLEASE CALL NUMBER ABOVE IF FAX TRANSMISSION IS INCOMPLETE.

This material is intended only for the use of the individual or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone at the following toll free number 1-800-485-0204.

MIL0005496

DATE: NOVEMBER 2ND, 2000

MILBANK MANUFACTURING COMPANY

TIME	METER READING	INITIALS
7:30	110460	SLH
8:00	110650	SLH
8:30	110860	SLH
9:00	111060	SLH
9:30	111240	SLH
10:00	111470	SLH
10:30	111680	SLH
11:00	111890	SLH
11:30	112100	SLH
12:00	112300	SLH
12:30	112520	SLH
1:00	112720	SLH
1:30	112930	SLH
2:00	113080	SLH
2:30	113160	SLH
3:00	113360	SLH
3:30	113570	SLH

11-03 ~~4770~~
 Page 3 of 19
 Please test for the following highlighted
 PART I

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Beginning the effective date of this permit and lasting until the expiration date, the permittee is authorized to discharge process wastewater, through discharge point # 2. Discharge through discharge point # 2 shall be limited and monitored by the permittee as specified below: (1)

Discharge Limitations

Monitoring Requirements

<u>Regulated Parameter</u>	<u>Maximum for Any one Day mg/L</u>	<u>Monitoring Frequency</u>	<u>Sample Type</u>
Cadmium[5]	.02	Semi-Annual	Composite[2]
Total Chromium[5]	2.0	Semi-Annual	Composite[2]
Copper[5]	0.60	Semi-Annual	Composite[2]
Cyanide	0.50	Semi-Annual	Grab
Lead[5]	0.10	Semi-Annual	Composite[2]
Nickel[5]	0.80	Semi-Annual	Composite[2]
Silver[5]	0.24	Semi-Annual	Composite[2]
Zinc[5]	1.25	1 X Week	Composite[2]
Oil and Grease[6]	100	Semi-Annual	Grab
TPH[6]	(Monitor and report)	Semi-Annual	Grab
pH	6-10	Daily	Grab
CBOD [1]	(Monitor and report)	1 X Month	Composite[2]
Ammonia [1]	(Monitor and report)	1 X Month	Composite[2]
COD [1]	(Monitor and report)	1 X Month	Composite[2]
TSS [1]	(Monitor and report)	1 X Month	Composite[2]
Flow	N/A	Daily [3]	
TTO	2.13	Semi-Annual	Grab
Phenol	0.50	Semi-Annual	Grab
Molybdenum[5]	(Monitor and report)	1 X Month	Composite[2]

This is what Richard gave to America
 test no more work done
 MIL0005498

11-02-00
Page 3 of 19

Please test for the following highlighted

PART I

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Beginning the effective date of this permit and lasting until the expiration date, the permittee is authorized to discharge process wastewater, through discharge point # 2. Discharge through discharge point # 2 shall be limited and monitored by the permittee as specified below: [1]

Discharge Limitations

Monitoring Requirements

<u>Regulated Parameter</u>	<u>Maximum for Any one Day mg/L</u>	<u>Monitoring Frequency</u>	<u>Sample Type</u>
Cadmium[5]	.02	Semi-Annual	Composite[2]
Total Chromium[5]	2.0	Semi-Annual	Composite[2]
Copper[5]	0.60	Semi-Annual	Composite[2]
Cyanide	0.50	Semi-Annual	Grab
Lead[5]	0.10	Semi-Annual	Composite[2]
Nickel[5]	0.80	Semi-Annual	Composite[2]
Silver[5]	0.24	Semi-Annual	Composite[2]
Zinc[5]	1.25	1 X Week	Composite[2]
Oil and Grease[6]	100	Semi-Annual	Grab
TPH[6]	(Monitor and report)	Semi-Annual	Grab
pH	6-10	Daily	Grab
CBOD [4]	(Monitor and report)	1 X Month	Composite[2]
Ammonia [4]	(Monitor and report)	1 X Month	Composite[2]
COD [4]	(Monitor and report)	1 X Month	Composite[2]
TSS [4]	(Monitor and report)	1 X Month	Composite[2]
Flow	N/A	Daily [3]	
TTO	2.13	Semi-Annual	Grab
Phenol	0.50	Semi-Annual	Grab
Molybdenum[5]	(Monitor and report)	1 X Month	Composite[2]

DAILY: EVERY DAY SYSTEM RUNS

1X WEEK: 1 DAY-OF WEEK COMPOSITE IS TAKEN (USUALLY THURSDAY)

1X MONTH: TO BE TAKEN FIRST WEEK COMPOSITE IS TAKEN FOR THAT MONTH

SEMI-ANNUAL: TO BE TAKEN FIRST WEEK IN JUNE AND FIRST WEEK IN DECEMBER

PART I

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Beginning the effective date of this permit and lasting until the expiration date, the permittee is authorized to discharge process wastewater, through discharge point # 2. Discharge through discharge point # 2 shall be limited and monitored by the permittee as specified below: (1)

Discharge Limitations

Monitoring Requirements

	Regulated Parameter	Maximum for Any one Day mg/L	RESULT	DATE TAKEN	Monitoring Frequency	Sample Type
Cd	Cadmium[5]	.02			Semi-Annual	Composite[2]
Cr	Total Chromium[5]	2.0			Semi-Annual	Composite[2]
Cu	Copper[5]	0.60			Semi-Annual	Composite[2]
Ca	Cyanide	0.50			Semi-Annual	Grab
Pb	Lead[5]	0.10			Semi-Annual	Composite[2]
Ni	Nickel[5]	0.80			Semi-Annual	Composite[2]
	Silver[5]	0.24			Semi-Annual	Composite[2]
Zn	Zinc[5]	1.25	0.028	11-02-00	1 X Week	Composite[2]
FOG	Oil and Grease[6]	100			Semi-Annual	Grab
OIL + GREASE > TPH[6] HYDROCARBONS		(Monitor and report)			Semi-Annual	Grab
	pH	6-10			Daily	Grab
	CBOD [4]	(Monitor and report)	140	11-02-00	1 X Month	Composite[2]
Nh3	Ammonia [4]	(Monitor and report)	0.23	11-02	1 X Month	Composite[2]
	COD [4]	(Monitor and report)	160	11-02-00	1 X Month	Composite[2]
	TSS [4]	(Monitor and report)	93	11-02-00	1 X Month	Composite[2]
	Flow	N/A			Daily [3]	
*	TTO	2.13			Semi-Annual	Grab
	Phenol	0.50			Semi-Annual	Grab
Mo	Molybdenum[5]	(Monitor and report)	<0.050	11/02/00	1 X Month	Composite[2]

AND TTO CERTIFICATION STATEMENT IN LIEU OF MONITORING ALONG WITH 40 CFR
REGULATORY STATEMENT. MUST BE SENT EVERY JUNE AND DECEMBER (SEMI-ANNUAL)